



Foam Concentrates | SFFF<sup>1</sup> - Alcohol Resistant | Viking ARK



SPECIFICATIONS	
Related documents	TD1.3.3.16 (Technical data page)
Approvals	
Appearance	Clear yellowish liquid
Specific gravity @ 20 °C	1.013 +/- 0.01 g/ml
Approximate viscosity @ 20 °C	Pseudoplastic (see technical data page)
pH	6.5 - 8.5
Freezing point	- 4 °C
Recommended storage temperature	- 0 °C to + 55 °C
Suspended sediment (v/v)	< 0.2%
Discharge device usage	Sprinkler, low & medium expansion
Packaging	25 l drum 200 l barrel 1,000 l IBC
Applications	Class B hydrocarbon and polar solvent ignitable liquids
Features	<ul style="list-style-type: none"> <li>• Approved for use with sprinklers (FM5130)</li> <li>• Fluorine free</li> <li>• Biodegradable</li> </ul>
Recommended proportioning ratio	3 % or 6 %
<p>Note : Foam concentrate is FM Approved as part of a fire extinguishing system combining specific proportioning devices, bladder tanks and discharge devices. Approved system components can be found at <a href="http://www.approvalguide.com">www.approvalguide.com</a></p>	

Part number	Volume (l)
V-SFFFARK/25	25
V-SFFFARK/200	200
V-SFFFARK/1000	1,000

<sup>1</sup> SFFF = Synthetic Fluorine Free Foam

Note: This document contains basic product information only. Information, photos and drawings are not contractually binding. In all cases, the manufacturer's full technical documentation (see "Related Documents" above) remains the reference document. Note that certificates, test reports and approvals may be published in the OEM name. The contents of this publication are subject to modifications without notice. All rights reserved

Trusted above all.

